


WORLD'S MOST POPULAR REFRIGERATORS

We started out making refrigerators, so it's not surprising that more outdoor people use our cooling products than any other brand. Over the years, we have sold many millions of units.

Dometic refrigeration solutions come with features you will not find anywhere else, including automatic locking systems, versatile racking, adjustable shelf guards and more.

3-WAY REFRIGERATOR CRX SERIES 8 SERIES THREE-WAY COOL CD SERIES	3 - 7 8 - 9 10 1 1		
		MILK COOLERS	13
		DEFRICEDATOR ACCESSORIES	14 14



ABSORPTION REFRIGERATION FOR 12 V, 240 V AND GAS

- Famous 3-way silent operation LP Gas, 12 V and 240 V
- Performance enhanced cooling units designed and manufactured for harsh Australian conditions
- AES and UES models (RM 2356, RM 2455, RM 2555, RM 4606, RM 4805) allow the user to simply turn the refrigerator on and the refrigerator will select the best available energy source; 240 V being its first option then sourcing 12 V (senses when your engine is running) and gas thereafter
- Doors can be hinged from right to left opening (except RGE410).
 RM 8501, RMDX21 and RMDX25 are also available in left or right opening options at time of ordering
- Friendly to the environment CFC free
- Door panels are replaceable to suit any décor (all models except RGE410, RMDX21 and RMDX25)
- Automatic flame failure safety device shuts of the gas supply if the flame is extinguished
- Flame indicator for gas operation (manual models only)
- Lockable doors for travelling
- Magnetic door seals
- Full 3-year warranty


CHOOSE FROM 4 OPTIONS:

- 1. Manual control
- 2. MES: Manual Energy Selection with Automatic Gas Ignition
- 3. AES: Automatic Energy Selection (fully automatic)
- 4. UES: Universal Energy Selection (switchable between MES & AES)









FOREVER COOL

This refrigerator uses Dometic's Absorption technology that makes it silent, vibration free and allows complete flexibility and convenience when on the road. With the Automatic Energy Selection (AES) feature will give you the freedom to simply turn the refrigerator on and it will select the best available energy source; 240 V being its first option then sourcing 12 V and gas thereafter.











LED LIGHTINGInterior is lit up by crisp LED lighting



ROBUSTHeavy-duty hinges that are built to last



FLEXIBLE CONVENIENCE
Internal shelving can be easily arranged as needed

THREE-WAY SILENT OPERATION OFFERS TRUE FREEDOM

The Dometic RM 2350 is a performance enhanced refrigerator designed and manufactured for life on the road. Offering you the choice between three energy sources – LP Gas, 12 V DC and 240 V A – it gives you the freedom to travel anywhere! This Manual Energy Select (MES) model allows you to choose the setting that is right for

your vehicle set up. Convenient features include removeable and adjustable shelves, magnetic door seals and a user-friendly control panel. The environmentally friendly, CFC-free door panels are replaceable to suit any décor. While, for safety, the automatic flame failure safety device shuts off the gas if the flame is extinguished.

REFRIGERATION/UPRIGHT REFRIGERATION



DOMETIC RM 2350

3-way refrigerator

- T-rated cooling unit ensures excellent performance in all conditions
- Manual Energy Selection (MES)
- Powerful absorption refrigeration technology

Gross capacity: 90 I

Dimensions (W x H x D) mm: 556 x 766 x 577

Weight: 29 kg

Input voltage (AC): 230-240 V Input voltage (DC): 12 V

Ref No. 9105304001



DOMETIC RM 2455

3-way refrigerator

- Flexibility of gas, 240 V AC and 12 V DC power give you freedom to travel anywhere!
- Wide metal mounting flanges for built in application no exterior skin
- Top mounted, user-friendly controls
- Adjustable, removable door racks
- Positive lock door handles
- Automatic Energy Selection (AES) will select the best available energy source

Gross capacity: 121 I Dimensions (W \times H \times D) mm: 632 \times 948 \times 627 Weight: 41 kg

Input voltage (AC): 230-240 V Input voltage (DC): 12 V

Ref No. 9105304012



DOMETIC RM 2356

3-way refrigerator

- New patented UES (Universal Energy Selection) control system that is switchable between manual (MES) and automatic energy select (AES)
- Same cut out size as most 3 cubic ft models but 10% bigger inside
- User friendly control panel featuring LED indicator lights

Gross capacity: 95 I

Dimensions (W x H x D) mm: 556 x 766 x 577

Weight: 28 kg

Input voltage (AC): 230-240 V Input voltage (DC): 12 V

Ref No. 9105305687



DOMETIC RM 2553

3-way refrigerator

- Flexibility of gas, 240 V AC and 12 V DC power give you freedom to travel anywhere!
- Wide metal mounting flanges for built in application no exterior skin
- Top mounted, user-friendly controls
- Adjustable, removable door racks
- Positive lock door handles
- Thermostatic control for 240 V AC and gas
- Single door model

Gross capacity: 150 I

Dimensions (W x H x D) mm: 632 x 1104 x 627

Weight: 44.5 kg

Input voltage (AC): 230-240 V Input voltage (DC): 12 V

Ref No. 9105304016



DOMETIC RM 2453

3-way refrigerator

- Flexibility of gas, 240 V AC and 12 V DC power give you freedom to travel anywhere!
- Wide metal mounting flanges for built in application – no exterior skin
- Top mounted, user-friendly controls
- Adjustable, removable door racks
- Positive lock door handles
- Thermostatic control for 240 V AC and gas

Gross capacity: 121 I

Dimensions (W x H x D) mm: 632 x 948 x 627

Weight: 39 kg

Input voltage (AC): 230-240 V Input voltage (DC): 12 V

Ref No. 9105304009



DOMETIC RM 2555

3-way refrigerator

- T-rated cooling unit is designed for excellent performance in all conditions
- Powerful absorption refrigeration technology
- No moving parts results in completely silent operation

Gross capacity: 150 I

Dimensions (W x H x D) mm: 632 x 1104 x 627

Weight: 44.5 kg

Input voltage (AC): 230-240 V Input voltage (DC): 12 V



DOMETIC RM 4601

3-way refrigerator

- Flexibility of gas, 240 V AC and 12 V DC power give you freedom to travel anywhere!
- Wide metal mounting flanges for built in application no exterior skin
- Top mounted, user-friendly controls
- Adjustable, removable door racks
- Positive lock door handles
- Thermostatic control for 240 V AC and gas

Gross capacity: 150 I

Dimensions (W x H x D) mm: 632 x 1427 x 627

Weight: 59 kg

Input voltage (AC): 230-240 V Input voltage (DC): 12 V

Ref No. 9105306020



DOMETIC RM 4606

3-way refrigerator

- T-rated cooling unit ensures excellent performance in all conditions
- Powerful absorption refrigeration technology
- No moving parts results in completely silent operation

Gross capacity: 185 I

Dimensions (W x H x D) mm: 632 x 1385 x 661

Weight: 56.5 kg

Input voltage (AC): 230-240 V Input voltage (DC): 12 V

Ref No. 9105306251



DOMETIC RM 4805

3-way refrigerator

- T-rated cooling unit ensures excellent performance in all conditions
- Automatic Energy Selection (AES)
- Powerful absorption refrigeration technology
- No moving parts results in completely silent operation

Gross capacity: 225 I

Dimensions (W x H x D) mm: 632 x 1544 x 627

Weight: 58 kg

Input voltage (AC): 230-240 V Input voltage (DC): 12 V

Ref No. 9105306024



DOMETIC COOLMATIC RPD 190

Fridge and freezer

- T-rated climate class
- CFC-free polyurethane foam provides excellent insulation
- Electronic control with turbo and economy modes
- Comes standard with flush mount frame



DOMETIC COOLMATIC RPD 218

Fridge and freezer

- T-rated climate class
- CFC-free polyurethane foam provides excellent insulation
- Electronic control with turbo and economy modes
- Comes standard with flush mount frame

Gross capacity: 190 I

Dimensions (W x H x D) mm: 633 x 1451 x 580

Weight: 46 kg

Input voltage (AC): 100-240 V Input voltage (DC): 12/24 V

Ref No. 9105306093

Gross capacity: 218 I

Dimensions (W \times H \times D) mm: 633 \times 1607 \times 580

Weight: 48 kg

Input voltage (AC): 100-240 V Input voltage (DC): 12/24 V

COOLMATIC CRX THE 3-IN-1 COOLING SOLUTIONS

The CRX Series of refrigerator is a veritable chameleon. It's a fridge, it's a fridge-freezer and it's a freezer. This patented invention is down to the removable freezer compartment and smart electronics that regulate the compressor speed, simultaneously saving energy. The freezer box can simply be pulled out to make a larger fridge or freezer and the desired temperature manually set. (CRX 110 and 140 does not include removable freezer compartment).

3-IN-1 SOLUTION

HIGHLY EFFICIENT

MAXIMIZE SPACE



COOLER THAN EVER

The compressor refrigerators in the CoolMatic CRX series are ingenious quick change artists. Their trick is no secret, but a patented Dometic invention. The freezer compartment can simply be pulled out to make room for a larger fridge or freezer. The desired temperature is set on the soft touch control panel which is mounted flush in the inner wall and elegantly integrates the LED light. There's smart electronics behind it: the system regulates the compressor speed therefore achieving energy savings of up to 25 %. Small or medium-sized motorhome or boat, single person or big family – nobody has to go without a Dometic CoolMatic refrigerator.

- Variable Motor Speed Optimisation ensures excellent energy efficiency
- CFC-free polyurethane foam provides excellent insulation
- Fully hermetic compressor with integrated control electronics
- Ambient temperature controlled fan speed to reduce noise











TWO-IN-ONE

The fridge's control panel also has an integrated light.



ORGANISED STORAGE

The fridge interior is well organized with shelves.



SEPARATE STORAGE

The separate compartment is ideal for storing fresh fruit and vegetables.

DOMETIC COOLMATIC CRX 50

Fridge and freezer

Gross capacity of 47 I Dimensions (W x H x D) mm: $380 \times 534 \times 500$ Average power consumption of 40 W Weight: 18 kg

Ref. No. 9105306157

DOMETIC COOLMATIC CRX 65

Fridge and freezer

Gross capacity of 60 I Dimensions (W x H x D) mm: $448 \times 525 \times 545$ Average power consumption of 45 W Weight: 19 kg

Ref. No. 9105306175

DOMETIC COOLMATIC CRX 80

Fridge and freezer

Gross capacity of 81 I Dimensions (W \times H \times D) mm: 475 \times 640 \times 528 Average power consumption of 48 W Weight: 21 kg

Ref. No. 9105306176

DOMETIC COOLMATIC CRX 110

Fridge and freezer

Generous gross capacity of $109 \, I$ Dimensions (W x H x D) mm: $520 \times 745 \times 558$ Average power consumption of $50 \, W$ Weight: $23.5 \, kg$

Ref. No. 9105306265

DOMETIC COOLMATIC CRX 140

Fridge and freezer

Generous gross capacity of $136 \, \text{I}$ Dimensions (W x H x D) mm: $525 \times 620 \times 812$ Average power consumption of $65 \, \text{W}$ Weight: $30 \, \text{kg}$

8 SERIES

An adaptable, high quality and stylishly-designed range of fridges with space-saving ideas

The Series 8 range of 3-way fridges are an adaptable and userfriendly collection featuring high quality models with many space saving features. These stylish design pieces are available in two door or large door models, with freezer compartments, innovative design elements and a pleasant ice-blue, energy-saving LED interior light. The interiors can be altered to fit your needs.





DOMETIC RMDX21

Upright absorption refrigerator

- T-rated cooling unit ensures excellent performance in all conditions
- · Cooling unit is easy to service if required
- Twin 12 V ventilation fans ensure excellent performance in high ambient temperatures
- Manual Energy Selection (MES)
- No moving parts results in completely silent operation
- Weight: 47 kg

Generous gross capacity of 190 I Dimensions (W x H x D) mm : $525 \times 622 \times 1264$ Weight: 47 kg

Ref No.9500001383

DOMETIC RMDX25


Upright absorption refrigerator

- T-rated cooling unit is designed for excellent performance in all conditions
- Cooling unit is easy to service if required
- Twin 12 V ventilation fans ensure excellent performance in high ambient temperatures
- Automatic Energy Selection (AES)
- No moving parts results in completely silent operation

Generous gross capacity of 190 I Dimensions (W \times H \times D) mm: 525 \times 1264 \times 622 Weight: 47 kg



LARGE CAPACITYTotal storage volume of 184 I



STYLISH INTERIORFresh-looking white shelves



LED LIGHTINGInterior is lit up by crisp LED lighting

THREE-WAY COOL

This 8 Series fridge with its patented removable freezer, caters for all your cooling needs while you're on the move. And, when it comes to moving, it's three-way power options – AC, DC and

Gas – give you the freedom to travel anywhere! Plus it's completely silent, meaning you won't be disturbed by the superb cooling performance.



DOMETIC RM 8501

3-way refrigerator

- The 9 I freezer has a patented design for easy removal
- Silent operation no interruption from your fridge
- Fingertip door opening and and user friendly control panel
- 106 I capacity without freezer
- Flexible shelf system
- Secure door locking with vent option
- Three-way power supply gives you extra freedom: AC (230 V), DC (12 V) and gas

Dimensions (W x H x D) mm: $523 \times 821 \times 568$ Weight: 28 kg

Ref No. 9105707284

RGE SERIES

Free-standing absorption refrigerators, an adaptable range ideal for many spaces

The free-standing absorption refrigerators from the RGE Series are completely silent. The models incorporate different features such as removable freezers that can run on two power sources, they provide

high performance and are usefully compact. For awnings, holiday homes or log cabins, there is a fridge from this range of the RF Series that will suit.



DOMETIC RGE410

220 I Home upright refrigerator

- Gas operation with manual ignition thermostatic control for 240 V and gas
- Internal light
- Large storage capacity
- Freestanding

Dimensions (W x H x D) mm: 592 x 1612 x 623

Weight: 73 kg

CD SERIES

The CD series of refrigeration turns a small unused space into a very usable drawer fridge

When space seems to be impossibly tight, whether on a boat, van, truck or motorhome, the possibility of on board refrigeration may appear to be a distant dream. Dreams can come true though.

The high performance compressor drawer fridge, in two capacities, makes use of a small space, such as under a bed, a drawer or even somewhere on the outside, to transform it into a fridge.





SET YOUR OWN TEMPERATURE

DOMETIC COOLMATIC CD 30

Drawer fridge

Equipped with high-tech compressors, the well-proven refrigerators of the CoolMatic series provide outstanding energy efficient refrigeration for mobile applications. Their operation is reliable even in tilted positions and high ambient temperatures. They work economically, quietly and are ideal to run with solar panels.

- Compact design and smart solution: the cooling unit can be fitted to the side of the cooler (left or right) and up to 1.5 m away
- Temperature control with continuously variable thermostat improves efficiency
- Convenient access with easy-pull drawers running on roller bearing slides
- User friendly unlocking and opening with a single movement
- Safe locking mechanism


Dimension (W x H x D) mm: 440 x 250 x 730

Weight: 18 kg Groass Capacity: 30 I Rated input power (DC): 40 W

MILK COOLERS

This 5 I mini refrigerator is perfect for lovers of perfect coffee. Not only does the Dometic MF V5M look great with its ultra-modern appearance, but its thermoelectrics provide efficient milk cooling and heating options. The MF V5M cools up to 30°C below the outside

ambient temperature, or can even heat up to 65° C. The lightweight and compact design is sure to please. Weighing in at only 3.7 kg, this is the perfect cooler to complement any benchtop coffee machine set-up.



DOMETIC MYFRIDGE MF V5M

5 I mini fridge

- Compact and lightweight modern design for easy transportation
- Small personal refrigerator for versatile use in kitchen, bar, terrace or garden
- Cooling capacity up to 30 °C below ambient temperature and heating capacity +65 °C (set point thermostat)

Dimensions (W x H x D) mm: 190 x 313 x 305

Weight: 3.7 kg

Input voltage (AC): 100-240 V

Ref No. 9600003728



DOMETIC MYFRIDGE MF15

14 I mini fridge

Ultra-modern 14 I thermoelectric personal mini fridge to keep food and drink cool or hot. It has a lightweight and compact design and blends in perfectly with any office or home decor.

- Compact and lightweight modern design for easy transportation
- Small personal refrigerator for versatile use in kitchen, bar, terrace or garden
- Cooling capacity up to 18 °C below ambient temperature and heating capacity 65 °C (set point thermostat)

Dimensions (W x H x D) mm: 285 x 435 x 355

Weight: 5.9 kg

Input voltage (AC): 220-240 V Input voltage (DC): 12 V

EFM STANDARD

Dometic CoolMatic flush mount installation frame



DOMETIC COOLMATIC CR-IFFM-50-N

Flush mount installation frame for CRP 40, CRX 50, CRD 50

Ref. No. 9105306410

DOMETIC COOLMATIC CR-IFFM-65-N

Flush mount installation frame or CRX 65

Ref. No. 9105306411

DOMETIC COOLMATIC CR-IFFM-80-N

Flush mount installation frame for CRX 80

Ref. No. 9105306412

DOMETIC COOLMATIC CR-IFFM-110-N

Flush mount installation frame for CRX 110

Ref. No. 9105306413

DOMETIC COOLMATIC

Flush mount installation frame for CRX 140

Ref. No. 9105306414

CR-IFFM-140-N

EST STANDARD

Dometic CoolMatic standard installation frame



DOMETIC COOLMATIC CR-IFST-50-N

Standard installation frame for CRP 40, CRX 50, CRD 50

Ref. No. 9105306405

DOMETIC COOLMATIC CR-IFST-80-N

Standard installation frame for **CRX 80**

Ref No. 9105306407

DOMETIC COOLMATIC CR-IFST-140-N

Standard installation frame for CRX 140

Ref. No. 9105306409

DOMETIC COOLMATIC CR-IFST-65-N

Standard installation frame for CRX 65

Ref No. 9105306406

DOMETIC COOLMATIC CR-IFST-110-N

Standard installation frame for CRX 110

LS SERIES

Ventilation grills

Ventilation grill for single and double-door models: Attached to the outside of the vehicle. Specially designed ventilation system for mounting on the outside wall of the vehicle. Built to prevent energy wasting heat accumulation behind the fridge. In addition, they allow easy access for service and maintenance without removing the fridge. The lower ventilation grill leads cold air behind the refrigerator while the upper grill allows hot air to escape. Consists of a mounting frame, exhaust stake, grill with fly screen and winter protection. LS 300 vents are designed for models with two doors, which can be used for both top and bottom.





DOMETIC VENTILATION GRILL LS300

Black ventilation grill

- Avoid wasting energy by removing heat which builds up around your fridge
- The lower grill allows cool air in while the upper grill allows warm air to escape
- Suitable for Dometic single-door models of fridge

Ref No. 9600003022

DOMETIC VENTILATION GRILL LS300

White ventilation grill

- Avoid wasting energy by removing heat which builds up around your fridge
- The lower grill allows cool air in while the upper grill allows warm air to escape
- Suitable for Dometic single-door models of fridge

Ref No. 9600003033

Dometic enriches people's experiences when away from home by providing smart, reliable products with outstanding design for mobile living in the areas of Climate, Hygiene & Sanitation and Food & Beverage. Dometic manufactures and sells products within these categories for use in recreational vehicles, trucks and premium cars, cruisers and work boats, and for a variety of other uses.

Dometic operates 22 manufacturing/assembly sites in the North America, South America, Europe and Asia-Pacific regions. Dometic products are sold in more than 100 countries. Dometic has over 6,500 employees and is listed on the Swedish NASDAQ.

 $E\&OE.\ Please\ note: Dometic\ may\ introduce\ modifications\ to\ products,\ therefore\ details\ herein\ are\ subject\ to\ change\ without\ notice.$ No liability is accepted for errors. Printing\ processes\ may\ not\ depict\ colour\ accurately.

